

WHO WE ARE

Our company, PT. Power Pack Industrial Solution was established in 2007, located in Gresik, East Java, Indonesia. We manufacture POWERPACK® PET Polyester Strap which is an environmental friendly packaging product with many advantages for industrial costumers.

We are largest PET Polyester Strap Strapping band manufacturer in Indonesia East area with over fifteen years of manufacturing experience. We continuously develop our R&D team to produce higher grade strapping that can be used with manual or fully automatic packaging machines.

POWERPACK® POLYESTER (PET) STRAPPING

POWERPACK® is an excellent polyester (PET) strapping material that combine the high strenght intensity of steel straps and flexibility of PP straps. Having high elongation, Polyester (PET) strapping can absorb shocks and impacts better than steel strapping during transportation and handling goods. With this excellent elongation features, many industries have subtituted the use of steel strapping with a Polyester strap having a lower breaking strength.

POWERPACK® strapping is manufactured using extrusion lines, equipped quality control and test machinery ensuring a high standard of quality.



SPECIFICATION OF POWERPACK® STRAPPING

Code	Grade	Widht (mm)	Thickness (mm)	Strenght (kgf)	Lenght (m)	Elongation	Surface	Core Diameter x Core Face (mm)	Color
Packaging Straps									
PWP 1206	M/A	12	0.6	250	2500	12%	Embossed	406 x 152	
PWP 1207	M/A	12	0.7	300	2000	12%	Embossed	406 x 152	•
PWP 1505	М	15	0.5	280	2400	12%	Embossed	406 x 152	
PWP 1507	М	15	0.8	400	1600	12%	Embossed	406 x 152	
PWP 1508	М	15	0.7	450	1400	12%	Embossed	406 x 152	
PWP 1509	М	15	0.9	500	1100	12%	Embossed & Smooth	406 x 152	
PWP 1510	М	15	1	550	1000	12%	Embossed	406 x 152	
PWP 1610	F	16	1	620	980	17%	Smooth	406 x 152	
PWP 1910	М	19	1	700	800	12%	Embossed & Smooth	406 x 152	
PWP 2510	М	25	1	910	600	12%	Embossed	406 x 152	
PWP 3210	М	32	1	1200	400	12%	Smooth	406 x 152	
landicraft Straps									
WP 0903	Н	9	0.25	70	5000	12%	Smooth	203 x 152	

(Terms & Condition applies, for inquiry please contact our sales team)

M: Manual grade A: Automatic grade F: Fiber grade H: Handicraft

REFERENCE GUIDE

General Description Breaking Streght Elongation & Tension Weatherproof Handling

Polypropyline

Cost Efficient for light duty packing & easy to apply

Good

Good No rust

Best

Good

Fair

Steel

ldeal for heavy construction packing

Bes

Best

Rusty

Good

Good

Good

POWER PACK® Industrial Solution

Good for heavy load packing & pelletizing with cost effective

Compareable to steel

Excellent

Norust

Best

Good

Best

APPLICATION

Recyclability

Stability


























STRAPPING TOOLS & ACCESSORIES















Green sealers



Serrated seals 1610





Tensioner MUL 320















EASY HANDLING

POWERPACK® is easy to handle as the straps are light in weight, with density between 1.30-1.38/cm³, which is only one sixth of the density of steel tape (7.8g/cm³).



REDUCE PACKING COST

POWERPACK® can save up to 50% compared with using steel strapping.



SAFE

During packing and unpacking POWERPACK® straps have no sharp edges, safe handling, eliminate injuries to personel.



ENVIRONMENTAL FRIENDLY

POWERPACK® straps are recyclable.



WEATHER RESISTANT

POWERPACK® straps are not affected by water and ultraviolet light, do not rust unlike steel straps, which create disposal problem.



SHOCK RESISTANT

Strap tension remains tight in cases where package may shrink during storage or transportation.

CONTACT US:

SURABAYA

IAKARTA

\$ + 62 31 8499510

\$ + 62 21 298667340

info@pt-powerpack.com

% + 62 31 8431596

% + 62 81 11918808

www.pt-powerpack.com

FACTORY

Raya Sumengko km 30.6 Wringin Anom 61176, Gresik, East java, Indonesia

OFFICE

- JL. MH. Thamrin Kel. Panunggangan Utara, Kec. Pinang Kota Tangerang 15143.